

# Park Lane

lamininate

TORLYS  
**PROEDGE**  
PREMIUM FLOORING

**TORLYS**  
smart floors



GOLDEN BAY OAK

 Water Proof

 Dent Resistant

 Scratch Resistant

 Plastic Free

 Transition Free

 Easily Repairable

 Gap Resistant

 Antimicrobial

# Park Lane

8mm (T) X 156mm (W) X 1380mm (L)

1.722 m2 per box

The Park Lane range has accentuated natural wood looks, in classic colours with a square edge uniclic joint. This can be installed throughout the home to compliment any interior design style.

## Details

- Made in Europe.
- 8mm waterproof Surface laminate with Aqua Protect to keep water from penetrating the core.
- ISO4760:2022(E) NZBC E3.3.3 & E3.3.6 compliant
- AC4 wear rating plus a protective wear layer to stand up against everyday scratches, stains and fading.
- Square edges.
- Clean lines elegantly accentuate natural wood looks of classic, time-honoured hardwoods.
- Smooth or gently textured, this versatile flooring complements any interior design style or décor.
- Install up to 15m x 15m with no transitions in one room.
- TORLYS Bulldog™ Easy Plank Replacer enables single planks to be replaced, quickly and easily. No mess, no dust, no downtime.

## \*\*Waterproof Surface Technology



**Waterproof\* Surface** thanks to a combination of the Uniclic® joint and Aqua Protect edge coating.



**Aqua Protect** water-repellent edge coating keeps water from penetrating the floor's core.

\*Fully watertight **SURFACE** when installed with a perimeter seal. Visit <https://torlys.co.nz/install-instructions/>.



FOX GLACIER WENGE | NZPL813002

OAMARU BEIGE OAK | NZPL835743

EAST COAST LIGHT OAK | NZPL839908

GOLDEN BAY OAK \* | NZPL839087

MILFORD GRAY \* | NZPL839066

HAVELOCK OLD OAK \* | NZPL803121

ALEXANDRA BROWN OAK \* | NZPL835825

WEST COAST DARK OAK \* | NZPL835814

\* High Shade Variation † Low Shade Variation

# A Cleaner Floor Starts Here.

Contribute to a cleaner home with built-in antimicrobial protection.

TORLYS Maxx Commercial Finish with built-in antimicrobial protection will keep your floors 99% cleaner between cleanings, 24/7.



For more information, <https://torlys.co.nz/technical-information/cleaner-floors-maxx-finish/>



EAST COAST LIGHT OAK

## Finishing Touches

**TORLYS Multi-Purpose Moulding**  
Easy and convenient, the TORLYS multi-purpose moulding solution offers an adaptable and colour coordinated profile. Suitable for floating applications.\*

**TORLYS smartSTEP Moulding**  
A unique stair nosing solution to add the perfect finishing touch. TORLYS smartSTEP is made from a full piece of actual flooring, with the same Uniclic® joint as your floor for an easy and seamless installation. Suitable for both floating and nail/glue down applications.\*

*\*Please reference product specific installation instructions for details.*

## Warranty

Lifetime Limited Transferable Non-Pro Rata Residential Warranty\*

10-year Water Surface warranty\*

15-Year Commercial Limited Warranty\*

\*Visit \* <https://torlys.co.nz/residential-warranty/>

## Quality Built-In

1. **TORLYS Maxx Commercial Finish**  
Antimicrobial | Anti-Wear
2. **Decorative Layer**  
Real wood-like patterns featuring natural designs.
3. **TORLYS Smart Core**  
Dent resistant and strong.
4. **TORLYS Uniclic® Pretension Joint**  
The most advanced, gap-resistant joint system available today, finished with Aqua Protect water repellent edge coating.
5. **Bottom Layer**  
Provides moisture protection to the core and added stability.



## Sound Ratings

Pair your TORLYS laminate with a TORLYS underlayment for superior installation results. Contact TORLYS for a copy of test reports.

TORLYS  
**Acoustik™**

**r@think**  
REDUCE RENEW RE-USE



### Reduced Footprint Mandate

TORLYS follows a Reduced Footprint Mandate that includes:

Meeting or exceeding the world's strictest Indoor Air Quality standards.

- Contributing to LEED® certification

- Adhering to environmental principles of reduce, reuse & renew

## EN - ISO Product Performance Test Grid – PARK LANE LAMINATE

DETAILS	VALUES	REFERENCE STANDARD	TORLYS RESULT
Product Dimensions	8mm (T) x 156mm (W) x 1380mm (L)		
Joint Type	Uniclic - four sides with Aqua Protect		
Packaging	8 planks / box and 1.722 m <sup>2</sup> / box		
Bevel Type	Square Edge		
C-o-C Certification	PEFC		
Usage Class	21-22-23 / 31-32	EN13329	21-22-23 / 31-32
Wear Resistance	≥4000 cycles	EN13329	≥4000 cycles
Wear Class	AC4	EN13329	AC4
Dimensional Stability	Average ≤ 0.9mm	EN13329	Average ≤ 0.9mm
Impact Resistance Small Ball	≥ 35mm	EN17368d	≥ 35mm
Impact Resistance Large Ball	≥ 750mm	EN13329	≥ 750mm
Scratch Resistance	Charge ≥ 3N	EN438-2,25	Charge ≥ 3N
Effect of a Castor Chair	25,000 cycles	ISO 4918 (with underlay)	No change
Topical Moisture Resistance NZBC E3.3.3 & E3.3.6	NZTA NZ Wool Testing Authority	ISO4760:2022(E) Impervious Joint	Passed NZ Independent Test
Thickness swelling	≤ 18% after 24hr immersion in water at 20°C	ISO24336	≤ 18%
Locking Strength	Fmax long side: ≥ 1 kN/m	ISO24334	Fmax long side: ≥ 1 kN/m
	Fmax short side: ≥ 2 kN/m		Fmax short side: ≥ 2 kN/m
Effect of a Furniture Leg	No visible damage when tested with simulated movement of furniture leg	EN424	No visible damage
Resistance to Staining	Group 1,2: Class 5	EN 438	Class 5
	Group 3: Class 4		Class 4
Light Fastness	Grey reference: Class 4	EN ISO 4892 2.2006/A1:2009 Procedure B – Cycle 5	Class 4
Formaldehyde Emission	E1 <0,01 ppm	EN 717-1	<0,01 ppm
Anti-static	≤ 2,0 kW	EN 1815	≤ 2,0 kW
Reaction to Fire	Class Cfl-s1	EN 13501-1	Class Cfl-s1
Thermal Resistance	0,055 m <sup>2</sup> K/W	EN 12996:2001	0,055 m <sup>2</sup> K/W
Slip Resistance	DS: μ ≥ 0,30	EN 13893	DS: μ ≥ 0,30
Burning Cigarette	Class 5	EN 438-2.30	Class 5 no visible damage
Underfloor Heating	Suitable for all NZ Building Code approved underfloor heating		
Sound Insulation	Pair with <b>Torlys Acoustic Underlay</b> , for superior installation and to achieve a high level of *impact sound reduction or *noise transfer result.		
Warranty	Residential Lifetime Limited Non-prorata Transferable Warranty *10-year water surface warranty – see <i>installation requirements</i>		
	15 Year Limited Commercial		
Further information is available on our <b>website</b> : <a href="http://www.torlys.co.nz">www.torlys.co.nz</a>			
<ul style="list-style-type: none"> <li>- Architectural Specifications</li> <li>- Installation Instructions</li> <li>- Product Brochure</li> </ul>			

